



## SETTING OF MACHINE

(Refer to ozone application/usage instructions for more detailed instructions.)

**1.** This series has controls that feature a Low/Off/Hi switch to power the unit and fan, and a continuously adjustable output level control to adjust the amount of ozone being produced. Ozone production begins when the power switch is turned on, please ensure the level control is set to low (#1 on the dial).

**\*Please note that Hi is NOT to be used if less than 8 plates are installed!\***

**2a.** (Setting Ozone Level (occupied areas)) The right level is when all the generated ozone is being used up to accomplish its job. However, this is difficult to obtain because it becomes a balancing act. Initially the unit should be used for a shock treatment to get rid of the problem odor as quickly as possible. After a shock treatment, set the unit at a very low setting, after several hours if there is a heavy smell of ozone, then there is more ozone present than is required to do the job. A good indication that the generator is set right is when you come home after being away for 6-8 hours and smell just a hint of the fresh sweet smell of ozone. Simply turn the output level control down. This is a case where more is not considered better. The levels of ozone required to deodorize most environments are from 0.03 ppm to 0.1 ppm.

**2b.** (Setting Ozone Level (shock treatments)) For most shock treatment applications the setting should be set to the highest setting. If the area being treated is small, the setting can be reduced to a lower level.



## TIMER OPERATION

-If you purchased an OMZ-9000-HFT, the control features are all the same with the exception of the timer. The timer is inline with the Hi/Low switch. This means that the timer must either be set on "hold" (constant on) or be operating in timer mode.

-To use the timer make sure the switch is in the Hi, or Low position. Follow the manufacturers timer instruction for operation of the timer.



## TROUBLE SHOOTING ( NOTE: Do not use a home multi meter to test voltage, multimeters only read up to 1000 VAC)

**1.** Fan works but no ozone.

1a. Try various output setting.

1b. If the unit was recently serviced check plate alignment. One misaligned plate will stop the whole unit from working. If you have more than one plate try removing all but one plate, if it works then add one more plate and test, and so on. If you add a plate and it stops working, check alignment of the screens on that plate and re install, if the plate still does not work then remove it and inspect for damage.

1c. Check plate for damage and clean if necessary.

1d. If after cleaning the plate there is still no ozone contact your dealer or CAMI.

**2.** No fan and no ozone

2a. Check fuse.

2b. Ensure that the ozone generator is plugged into a working power receptacle.

**3.** Generator sounds erratic, crackling, or like it is arcing, popping, etc..

3a. Check plate for damage and clean if necessary.

3b. Check center HV screen alignment. Refer to cleaning instructions for proper alignment.

3c. High altitudes can also cause excess voltage output. Contact CAMI if screens are aligned and there is still a problem contact, your dealer or CAMI.

# OMZ-9000-HF

(plate removal instructions)

1. The new hose connector/end cap is much stronger and has an ozone resistant silicone seal. The cap is removed the same way as the original model, by removing 2 screws.




2. The generator plate rack is secured by two screws that are located inside the unit behind the end cap instead of on the bottom as indicated in the original manual.




3. The plate rack is removed by lifting it up and pulling it out.



4. The plates are held in place by a bar that is held in place by a wing nut, the HV contact bar is also held down by 2 wing nuts, remove these three wing nuts.





5. Once the bar and contact bracket are removed, remove the plates by lifting them straight up as shown.



6. Next refer to the plate cleaning instructions.


**PLEASE ENSURE THAT ALL PARTS ARE COMPLETELY DRY PRIOR TO RE ASSEMBLY!**

7. Reinstall plates by first using a screw driver to separate the tight ring springs as shown. Then slip the plate in between the springs, making sure that the spring does not go up in the middle of the plate as shown.




8. Re install the plate hold down bar as shown in the step 4 picture. Re install the HV clamp making sure that all the HV wires from the plates are clamped tight.

9. Please note that when re installing the plate rack, the front of it must fit under the screws indicated in the diagram.





10. Replace the plate rack, reinstall the screws that hold the rack in place and reinstall the end cap and screws.




11. To access the filter remove the end cap at the air input end of the ozone generator in the same way the output cap was removed in step one. The filter may be washed with soapy water or replaced with a new filter available thru your CAMI supplier. If another brand of filter is used please ensure that it has good air flow or else the ozone generator could overheat due to lack of cooling.

# Plate cleaning instructions

1. Please familiarize yourself with how the plate is assembled prior to disassembling.  
Remove outer screen, as shown.



2. Disassemble all part as shown





3. Take mica and stainless screens and clean in the sink using dish soap and an old toothbrush. If the plates have not been cleaned for a long time, it is important to use the tooth brush to help remove the flaking mica. Rinse with clean clear water.



4. If the generator needs to be put back in service immediately you will need an oven or other source of heat to dry the mica and screens. If using an oven set the temperature at about 200° F and place the mica and screens on the middle rack for approximately 1-2 hours.  
If there is no rush or you do not have access to an oven, place the mica and screens in a very warm dry place such as on an operating base board heater to dry overnight, or if it must air dry leave it dry for several days with good air flow .

5. Once all the Mica and screens are dry re assemble by placing one mica in your hand, then place the inner screen square in the center of the mica. Place the second mica on top of the inner screen and then re install the folded outer screen , as shown.



6. When all plates are clean, dry, and re assembled refer back to the plate removal instructions for instructions on re installing the plates.